

VS124溶融粘度

剪断速度 1/sec

粘度 Pa/sec

vs124-Roundhole=20.0/1.0/180

せん断速度	粘度				
	1 8 0	2 0 0	2 2 0	2 4 0	2 6 0
10	45087	21934			
20	32292	17669	8530		
40	21081	12526	7027	3972	
100	11603	7328	4519	2931	1832
200	7573	4702	3176	2137	1405
400	4794	2962	2046	1496	1069
1000	2650	1636	1136	867	647
2000	1667	1008	721	556	434
4000	1056	620	455	348	278
10000	603	343	241	191	153

